130 Series Panoramic





Product Features:

01 Cost-effective design focused on affordability and versatility

02 Universal sash profile and ultra -slim interlock

03 Compatible with both 130 Panoramic and 130 Lift-and-Slide Systems

04 Reduces production complexity and inventory costs

05 Outstanding watertightness and sound insulation performance

130 Series Lift - Siliding



Product Features:


01 Wide-and-narrow sash combination for improved aesthetics and functionality

02 Lift-and-slide operation supports secure micro-ventilation


03 Patented top and bottom track design improves structural strength, dust protection, and drainage

04 Supports a concealed built-in floor drain for more efficient water discharge


05 Compatible with motorized operation and intelligent control systems




Panoramic 130 Doubl Tracks (Thickness:2.0mm)




JNW-CT1301
Double-Track Side Seal
Weight: 2.56kg/m



JNW-CT1302
Double Top Track
Weight: 2.61kg/m




JNW-CT1303/CT1308
Double-Track Floating Bottom Track
Weight: 3.11kg/m /2.69kg/m




JNW-CT1304
Double High Bottom Track
Weight: 2.74kg/m


Panoramic 195 Triple Tracks (Thuickness:2.0mm)




JNW-CT1951
Triple-Track Side Seal
Weight: 3.67kg/m



JNW-CT1952
Triple Top Track
Weight: 4.062kg/m




JNW-CT1954
Triple High Bottom Track
Weight: 3.96kg/m




JNW-CT1953 / CT1955
Triple-Track Floating Bottom Track
Weight: 4 40kg/m / 4.329 kg/m


Panoramic 259 Four Tracks (Thickness : 2.0mm)




JNW-CT2591
Four-Track Side Seal
Weight: 4.79kg/m



JNW-CT2592
Four Top Track
Weight: 5.28kg/m




JNW-CT2594
Four High Bottom Track
Weight: 5.19kg/m




JNW-CT2593 / CT2595
Four-Track Floating Bottom Track
Weight: 5 76kg/m / 5.689 kg/m


Panoramic General




JNW-CT1307
Top/Bottom Sash
Weight: 1.05kg/m
Thickness : 2.9mm




JNW-CT1305
Vertical Sash
Weight: 2.96kg/m




XY-13021
Interlock
Weight: 1.94kg/m
Thickness : 5.0mm



XY-13019
Floating Track Roller Rail
Weight: 1.01kg/m




XY-13020F
Locking Rod
Weight: 0.254kg/m




XY-1309
Floating Track Rail
Weight: 0.24kg/m


Automatic option



JNW-CT1309
Floating Lower Guide
Weight: 3.095kg/m




JNW-CT1956
Electric Three - Track Upper Rail
Weight: 4.336 kg/m




JNW-CT2956
Four - Track Electric Top Rail
Weight: 5.453 kg/m


rail




XY-13032
Electric Track C
Weight: 0.765kg/m



XY-13033
Electric Track D
Weight: 1.062kg/m




XY-13034
Electric Track E
Weight: 1.391kg/m




XY-13029
Electric Track Cover
Weight: 0.81 kg/m


One Fixed+Sliding Series



XY-13035
Fixed Base
Weight:1.577kg/m




XY-13036
Fixed Sah Edge
Weight: 0.514kg/m




XY-13037 / XY-13038
Fixed And Operable Cover
Weight: 0.203 kg/m / 0.418 kg/m


130+196 Lift - Sliding




ZXM02-CT001F
Lifting Double Top Track
Weight: 2.56kg/m




ZXM02-CT002F
Lifting Double Bottom Track
Weight: 2.62kg/m




ZXM02-CT004F
Double-Track Side Seal
Weight: 1.59kg/m




ZXM02-CT006F
Double-Track Mullion
Weight: 1.84kg/m




ZXM02-CT007F
Lifting Triple Top Track
Weight: 3.44kg/m




ZXM02-CT008F
Lifting Triple Bottom Track
Weight: 3.51kg/m




ZXM02-CT009F
Triple-Track Side Seal
Weight: 2.13kg/m




ZXM02-CT010F
Triple-Track Mullion
Weight: 2.42kg/m




ZXM02-CT011F
75 Lifting Door Sash 2.0
Weight: 1.58kg/m




JNW-XT1968
75 Fly Mesh Sash
Weight: 1.42kg/m



ZXM02-013
Side Seal Transformer
Weight: 0.61kg/m




JNW-XT769
75 Fly Mesh Clip




DZ-L2419
Bottom Track Connector
Weight: 0.33kg/m


★ General Both Panoramic+Lift ang Sliding




JNW-TS939F
Fly Mesh Middle
Weight: 1.39kg/m




JNW-XT913E
Sash Clip
Weight: 0.15kg/m




KY01-008
Fixed Clip
Weight: 0.19kg/m




JNW-XT924F
Lock Slot
Weight: 0.44kg/m




JNW-XT951
Side Seal Cover
Weight: 0.37kg/m




JNW-XT914
75 Door Sash Groove
Weight: 0.23kg/m




JNW-XT936
75 Door Sash Interlock
Weight: 0.20kg/m




JNW-XT1008
75 Smart Lock Body Groove
Weight: 0.42kg/m




JNW-XT931F
Closuring
Weight: 0.66kg/m




XY-13010
Floating Track Side Cover
Weight: 0.16kg/m




XY-13011
Floating Track Midlle Cover
Weight: 0.30kg/m




XY-13012
Additional Drainage Slot
Weight: 0.91kg/m




XY-13026
High-Track Bottom Sash
Weight: 1.77kg/m




JNW-CT1306
Meeting
Weight: 2.47kg/m




XY-13027
90° Corner Sash Meeting
Weight: 1.92kg/m




XY-1303
Side Seal Cover
Weight: 0.26kg/m




XY-13022
Mesh Interlock Sash
Weight: 2.23kg/m



XY-13023
Mesh Double Interlock Sash
Weight: 1.62kg/m




XY-13024
Mesh Middle
Weight: 0.88kg/m



XY-13025F
Mesh Clip
Weight: 0265 kg/m


Double Tracks

Floating Bottom Track
Assembly Drawing



耗材 −11.40kg/m²


High Bottom Track
Assembly Drawing




耗材 −10.42kg/m²




2 Tracks, 2 Panels Exterior




2 Tracks, 4 Panels Exterior




90° Corner Opning Diagram





Triple Tracks


Floating Bottom Track
Assembly Drawing



High Bottom Track
Assembly Drawing




3 Tracks, 3 Panels (2+1)




6 Panels Diagram


3 Tracks, 6 Panels (4+2)




3 Tracks, 3 Panels




3 Tracks, 6 Panels





Triple Tracks 90° Corner Opening Diagram






Four Tracks Diagram









Automatic Diagram


Dual-track electric-lower suspended track




Three-rail electric - lower suspended rail




Four-track electric - lower suspended rail




Dual-track electric - lower high track



Three-rail electric - lower high rail



Four-track electric - lower high track



130 Double Tracks+195 TripleTracks Assembly Drawing

