150 Panoramic Sliding Door



Product Features:

01

Ultra-Slim Design with Outstanding Aesthetics

Creates a Minimalist Aesthetic and Showcases Premium Quality

02

Customizable Extra-Tall and Extra-Wide Dimensions

Meets Diverse Needs and Opens Up Broader Views

03

Multiple Operation Options

Available in Manual and Automatic Versions, Combining Technology with Convenience

04

Hidden Bottom Track Design

The Pre-Embedded Track Sits Flush with the Floor for Barrier-Free Access,Providing Greater Safety and Comfort

05

Suitable for Premium Applications


Ideal for High-End Villa Entrances, Luxury Apartments, and Scenic Viewing Areas, Enhancing a Refined Lifestyle

06

Maximum Loading Capacity


It offers the strongest load-bearing capacity and supports the largest panel size among all our current series.

Accessories:



Top Track Roller

Custom-designed and adjusted after the door panel is installed; its anti-sway function ensures smooth operation.




Bottom Track Roller (Load-Bearing Wheel)


Equipped with eight load-bearing bearings and four positioning anti-derailment devices.
Each roller supports up to 170 kg. Additional rollers can be installed as required; for example, a 600 kg door panel can use four bottom rollers for high load capacity and stable operation.

Locking System


Custom-designed four-point double-hook anti-pry lock, compliant with European triple-security standards:
(1) resistant to forced prying;
(2) resistant to electric-saw cutting; and
(3) resistant to card unlocking.
Available with either key operation or smart control, combining security with convenience.




Double Tracks Automatic



JNW-CT1861F
Intelligent Double Top Track
Weight: 2.78kg/m



JNW-CT1862F
Intelligent Additional Top Track
Weight: 4.3kg/m




JNW-XT1863
1Intelligent Rail Intermediate Additional Material
Weight: 1.55kg/m




JNW-XT1864
Electric Machine Pallet
Weight: 0.86kg/m


TripleTracks Automatic




JNW-CT1881F3
Intelligent Triple Top Track
Weight: 4.04kg/m



JNW-CT1882F3
Intelligent Triple Top Track
Weight: 5.77kg/m




JNW-XT1863
Intelligent Track Intermediate Additional Material
Weight: 1.55kg/m




JNW-XT1864
Electric Machine Pallet
Weight: 0.86kg/m


Double Tracks




JNW-CT1798F2
Double Top Track and Side Seal
Weight: 3.28kg/m



JNW-CT1799F2
Double Bottom Track
Weight: 3.46kg/m




JNW-CT1805F2
Embedded Double Bottom Track
Weight: 3.53kg/m




JNW-CT1887F2
Double Track Vertical Drainage
Weight: 2.98kg/m


Triple Tracks




JNW-CT1811F3
Triple Top Track and Side Seal
Weight: 5.0kg/m



JNW-CT1813F3
Triple Bottom Track
Weight: 5.28kg/m




JNW-CT1805F3
Triple Pre-Embedded Bottom Track
Weight: 5.35kg/m




JNW-CT1891F3
Triple Track Vertical Drainage
Weight: 4.47kg/m

Four Tracks




JNW-CT1811F4
Four Top Rail and Side Seal
Weight: 6.7kg/m




JNW-CT1813F4
Four Bottom Track
Weight: 7.0kg/m

Universal




JNW-XT1804
Embedded Additional Rail
Weight: 1.25kg/m




JNW-XT1877
Drainage Cover
Weight: 0.6kg/m

PS: Tile option



JNW-XT1803F
Floating Track Rail
Weight: 0.9kg/m


PS: Tile option



JNW-XT1890
Additional Drainage Slot
Weight: 1.11kg/m




JNW-XT1810
Tile Side Cover
Weight: 0.18kg/m




JNW-XT1815
Tile Middle Cover
Weight: 0.4kg/m



JNW-XT1806F
Small Floating Cover
Weight: 0.17kg/m




JNW-XT1807
Big Floating Cover
Weight: 0.4kg/m




Thickness: 3.0mm


JNW-CT1865F
Universai Vertical Door Frame
Weight: 3.03kg/m




JNW-CT1801F
Top Frame
Weight: 1.1kg/m




JNW-CT1802F
Bottom Frame
Weight: 1.73kg/m




JNW-XT1808D
Interlock
Weight: 2.0kg/m




JNW-XT1892
Lock Slot
Weight: 0.55kg/m




JNW-XT1893
Panoramic Door Closuring
Weight: 0.6kg/m




JNW-XT1816
Side Seal Cover
Weight: 0.34kg/m




JNW-XT1817
Side Seal Middle Cover
Weight: 0.33kg/m




JNW-XT1818
Tiled Floating Rail
Weight: 1.02kg/m




JNW-XT1909
Triple Side Seal Middle Cover
Weight: 0.46kg/m




JNW-XT1812D
Double Interlock
Weight: 1.46kg/m



JNW-XT1740E
Concealed Door Trim
Weight: 0.90kg/m




JNW-CT1915F
4.0 Door Sash
Weight: 3.63kg/m



JNW-CT1918F

Single-Handle Sash


Weight: 2.6kg/m



JNW-XT1913

6.0 Strenghten Interlock

Weight: 2.45kg/m



JNW-XT1919

6.0 Interlock

Weight: 1.37kg/m



JNW-XT1885

Side Connecter

Weight: 0.25kg/m



JNW-XT1886

Center Conneter

Weight: 0.32kg/m



JNW-XT1883

Security Mesh Cover


Weight: 0.16kg/m



JNW-XT1884

Security Mesh Glazing Bead

Weight: 0.4kg/m




DZ-L2547


Corner

Weight: 2.754kg/m


Corner Assemble Diagram




Double - Tracks




Double Tracks




Pre-Embedded Double Tracks



Pre-Embedded with Vertical Drainage Double Tracks




Pre-Embedded with Tile Cover Double Tracks




Double-Track automatic System


Double-Track With Two-Panel Opening



Double-Track With Four-Panel Opening




Double-Track With Two-Panel Opening + Concealed Door Frame




Decorative Material Finish


Triple Tracks



3-Track




Pre-Embedded with
Vertical Drainage 3-Track





3-Track automatic System

235 Panoramic Sliding Door,
3-Track 3-Panel + Security Mesh




3-Track With 3-Panel Linked Opening







3-Track With 6-Panel Opening



Four Tracks



4-Track With 4-Panel Linked Opening






three tracks



two tracks



five tracks



three tracks with drainage



three tracks without drainage

Accessories



Special Anti-Derailment Upper Roller



Special Lower Roller (Steel Wheel)



12.4x1.0x1.2 Three-Point Stainless Steel Corner Joining Plate



(5x4) Siliconized Waterproof Weatherstrip Pile



1.8 Exposed Drainage Cover



Recessed SS Dust Seal Strip 5x64



Solid Stainless Steel Guide Ral,7.5m



Special Plastic Fitting Kit for Double-Track(Right)



QJMo1 - Handle Lock (Key Version)



Password & Fingerprint + Locking Rod + Locking Point Keeper



1QJM01 -New Handle Lock (Key Version)



QJM01 - XT1890 Raised Additional Cap(2473)

Automatic Options:



Top Track Rolller (Positioning Wheel) - 2pcs/panel



Up and Down Lock



Electric motor accessories set



180 kg Smart Motor for Panoramic Doors (Customized Version)



Face Recognition Access Control



Human Body Induction Probe Automatic Door Opening and Closing Equipment



Wireless Infrared Air Sensor Switch



Infrared Induction Anti-Pinch Equipment