Mei Tong Flying Aluminum

MeiTong Flying Aluminum Co.,Ltd

Mei Tong Flying Aluminum

BRAND

CORE VALUES

- HIGH-END QUALITY POSITIONING.
- INNOVATIVE PRODUCT RESEARCH AND.
- ADVANTAGES IN PRODUCTION AND SUPPLY.
- HARDWARE MATCHING SERVICES.
- SYSTEM OUTPUT ADVANTAGE.



RESEARCH & DEVELOPMENT &
WAREHOUSE BASE FOR HIGH-END INTELLIGENT DOORS
AND WINDOWS ALUMINUM PROFILES

Six reasons to choose
MeiTong Flying Aluminum Co.Ltd

Cutting-edge design technology, leading the market trend benchmark.

GOOD-LOOKING, AIRTIGHT AND SAFE.
PRACTICAL, STYLISH AND
AESTHETICALLY PLEASING.



PREFORM EXTRUSION

We have independently constructed 40 extrusion lines to produce raw materials with high standards in a fully automated system! MeiTong Flying Aluminum guarantees your products will be worry-free!

SURFACE SPRAYING

Independently constructing 5 surface production lines. We offer all customers the best, fastest, and most cost-effective diversified products! MeiTong Flying Aluminum equips you with the most competitive products!

SPOT GOODS STOCK

With a stock of 10000 tons of thermal break windows in stock, we are always ready to safeguard our customers! Enabling customers to achieve zero-inventory operation! MeiTong Flying Aluminum helps you save capital!

PRODUCT RESEARCH AND DEVELOPMENT

The company has adhered to a product renewal plan for ten years like clockwork. With twice-yearly products updates and upgrades, all customers can concentrate wholeheartedly on the windows and doors business. There is no need to worry about not being able to find good products or new products. MeiTong Flying Aluminum saves you the trouble!

PRODUCT ACCESSORIES

Our company not only supplies aluminum profiles, but also has all the necessary hardware accessories for all our products, even machinery and equipment. Everything is available! We offer the best prices for the same accessories. You don't need to search everywhere for accessories after finding the materials. MeiTong Flying Aluminum enables you to get new products all in one step!

TECHNOLOGY SUPPLY

The company has a large number of designers and technicians in reserve! We can provide online assistance or on-site technical services to solve the technical problems in product production, installation and training for all new and old customers at the fastest speed! MeiTong Flying Aluminum enables you to engage in the windows and doors business with ease and make better windows and doors!

High-end doors and windows system service provider!
For many years, we have been at the forefront of the research, development and service of system doors and windows.

Company Profile

MeiTong Flying Aluminum Co.Ltd is one of the eight branch companies of the MeiTong ShiDai Group. It specializes in the wholesale of high-end product aluminum profiles such as system doors and windows, side pressure sealed window, drifting window, floating sliding window, heavy-duty lifting sliding doors, luxury sunrooms and so on.
"Let outstanding door and window enterprises become our customers and let our customers become outstanding door and window enterprises" is our precise positioning for our company products.
Our powerful product development team survey the global development direction of door and window systems, grasps the core requirements of customers and leads the trend of the times.
The excellent genes of MeiTong Flying Aluminum determine that MeiTong Flying Aluminum is bound to be a leading brand in the high-end doors and windows system industry.

Brand Output – Renowned brand, easier operation.

Material Supply – abundant storage, more reliable.

Product R & D – Outstanding research and development, more systematic.

Operation Support – Substantial assistance, more effortless.

Technical Support – Advanced technology, more professional.

Cutting-edge design
technology



High end quality




Product catalog

150 Panoramic Sliding Door	05	110 sliding window	68
ZP150 Motorized Vertical Sliding Window	15	120-1 Slim casement window	73
130+195 Heavy-Duty Lift sliding Door	20	110-Disrupter 3 / 115-Disrupter 5	79
130 Lift Sliding Window	35	90-1 New casement window	89
128 Floating Sliding Window	41	126 side pressure sealed window	97
40 Medium narrow sliding door	51	100 drifting sliding window	103
128 scenery sliding window	61		



150 # Panoramic Sliding Door >>>



Product Features:


① With embedded drainage lower rail

② Extremely narrow design，the vertical door frame is 25mm

③ Super size design,the width of a single window can be 1000-3700mm, and the height can be 1000-6000mm

④ Super load bearing,customized pulley combination, slide wheel individual weight 170kg


Universal Profiles



JNW-CT1865F

intelligent electric vertical door frame


Weight: 3.03kg/m



JNW-CT1801F

top frame

Weight: 1.1kg/m



JNW-CT1802F

bottom frame


Weight: 1.73kg/m



JNW-XT1803F

horizonal bottom frame base for roller


Weight: 0.9kg/m



JNW-XT1816

side seal cover


Weight: 0.34kg/m



JNW-XT1804

embedded additional rail

Weight: 1.25kg/m



JNW-XT1893

panoramic door closuring


Weight: 0.6kg/m



JNW-XT1806F

small floating cover

Weight: 0.17kg/m



JNW-XT1807

big floating cover


Weight: 0.4kg/m



JNW-XT1892

lock slot


Weight: 0.55kg/m



JNW-XT1808D

vertical interlock frame with handle

Weight: 2.0kg/m



JNW-XT1877

drainage cover

Weight: 0.6kg/m




(Used in three、four、five-track)

JNW-XT1817

side seal cover


Weight: 0.33kg/m



JNW-XT1890

additional drainage slot

Weight:1.11kg/m




JNW-XT1812D

double vertical door frame with hook

Weight:1.46kg/m


Double Tracks Profiles



JNW-CT1798F2

double top rail and side seal


Weight: 3.28kg/m



JNW-CT1799F2

double bottom rail


Weight: 3.46kg/m



JNW-CT1805F2

embedded double bottom rail

Weight: 3.53kg/m




JNW-CT1887F2

double track vertical drainage

Weight: 2.98kg/m


Three Tracks Profiles



JNW-CT1811F3

triple top rail and side seal


Weight: 5.0kg/m



JNW-XT1909

triple side seal middle cover


Weight: 0.46kg/m



JNW-CT1813F3

triple rail bottom rail


Weight: 5.28kg/m



JNW-CT1805F3

triple rail pre-embedded bottom rail

Weight: 5.35kg/m




JNW-CT1891F3

triple track vertical drainage

Weight: 4.47kg/m


Four Tracks Profiles



JNW-CT1811F4

four top rail and side seal

Weight: 6.7kg/m




JNW-CT1813F4

four rail bottom rail

Weight: 7.0kg/m


Five Tracks Profiles



JNW-CT1811F5

five top rail and side seal

Weight: 8.4kg/m




JNW-CT1813F5

five rail bottom rail

Weight: 8.85kg/m


Double Tracks Ceramic Tile Style



JNW-CT1798F2

double top rail and side seal


Weight: 3.28kg/m



JNW-CT1805F2

embedded double bottom rail

Weight: 3.53kg/m



JNW-XT1818

tiled horizonal bottom frame base for roller


Weight: 1.02kg/m



JNW-XT1810

tile side cover

Weight: 0.18kg/m




JNW-XT1815

tile middle cover

Weight: 0.4kg/m


Automatic Profiles



JNW-CT1861F

intelligent double top rail


Weight: 2.78kg/m



JNW-CT1862F

intelligent additional top rail


Weight: 4.3kg/m



JNW-CT1881F3

intelligent triple top rail


Weight: 4.04kg/m



JNW-CT1882F3

intelligent triple top rail

Weight: 4.04kg/m



JNW-XT1863

intelligent rail intermediate additional material

Weight: 1.55kg/m




JNW-XT1864


electric machine pallet


Weight: 0.86kg/m


Assembly Diagram

Double Tracks













Triple Tracks











Four Tracks



Five Tracks




three tracks


two tracks


five tracks


three tracks with drainage


three tracks without drainage

Accessories


top track roller
(Positioning wheel)-2pcs/panel


water proofrubber
pad for bottom track


cap for both side vertical
outer frame(8pcs/set)


I shape lock


anti-collision block for
vertical handle frame


drainage cap for
bottom track


anti-collision rubber for
vertical interlock frame(left)



cap for vertical interlock
frame(top & bottom)


50cm length bottom track roller
(Load-bearing wheels)-2pcs/panel



anti-collision rubber for
vertical interlock frame


brush strip for
bottom track covered


sealing rubber for
vertical interlock frame


covered rubber for
vertical handle frame


water blocking strip for
vertical outer frame


sealing rubber for
vertical outer frame


Electric motor accessories set

Automatic Options:


face recognitionaccess control



human body induction probe automatic
door opening and closing equipment


wireless infrared
air sensor switch


infrared induction
anti-pinch equipment

ZP150 # Motorized Vertical Sliding Window >>>






Product Features:

① Maximum width 4.8m, maximum height 2.5m

② Two motors, chain drive, wide field of view

③ Rain sensor, automatic closing when it rains


④ Infrared anti-pinch design, can be equipped withanti-mosquito screens



JNW-SJC22A

150 upper frame


Weight: 4.04kg/m



JNW-ZN023

screen cover


Weight: 1.71kg/m



JNW-SJC24A

screen upper frame


Weight: 2.29kg/m



JNW-SJC26A

150 side frame


Weight: 3.34kg/m



JNW-SJC28A

150 side frame transform


Weight: 3.29kg/m



JNW-ZN029

150 side frame cover


Weight: 0.8kg/m



JNW-ZN031

150 handrail

Weight: 3.8kg/m



JNW-SJC33A

150 lower frame


Weight: 2.68kg/m



JNW-ZN032

not screen mesh closuring

Weight: 1.82kg/m



JNW-ZN034

clip

Weight: 0.47kg/m



JNW-ZN036

screen frame

Weight: 0.35kg/m



JNW-ZN035

clip


Weight: 0.41kg/m



JNW-ZN037

150 not screen mesh cover


Weight: 1.0kg/m



JNW-ZN030

screen profile


Weight: 1.31kg/m



JNW-ZN038

150 upper frame cover


Weight: 0.85kg/m



JNW-SJC09

glass door panel


Weight: 2.25kg/m



JNW-SJC12

glass door with hook


Weight: 2.58kg/m



JNW-SJC23

strengthen glass door


Weight: 3.39kg/m



JNW-SJC25

strengthen glass door with hook


Weight: 3.72kg/m



JNW-SJC31

strengthen glass door


Weight: 3.25kg/m



JNW-SJC33

strengthen glass door with hook

Weight: 1.82kg/m



JNW-SJC14

strengthen inner frame


Weight: 1.82kg/m



JNW-SJC039

glass door panel

Weight: 2.05kg/m





JNW-SJC041

glass door with hook

Weight: 2.38kg/m

Assembly Diagram






with mesh



without mesh



lower fixed

Accessories



battery backup



handrail pc cover



opening sash pc cover



lifting arm



motor



intelligent voice sensor



24 power source / controller



100 speed reducer




150 gearbox / chain



single – shaft motor / double shaft motor

130+195 # Heavy-Duty Lift Sliding Door >>>





Product Features:


① Sound and heat insulation, energy efficient

② Lifting sliding for better sealing performance


③ Positioned at will, easy to adjust the ventilation area

④ Hidden bottom rail floor drain design


Thermal Break Profiles
Universal Profiles




JNW-BF923F
double side seal
Weight: 1.93kg/m



JNW-ZT938F
double rail center column
Weight: 2.0kg/m




JNW-BF950F
three-rail side seal
Weight: 2.74kg/m



JNW-ZT954F
triple rail center column
Weight: 2.68kg/m

130+195 Thermal Break Profiles




JNW-TS911F
75 lifting door frame
Weight: 1.79kg/m




JNW-XT914
75 door frame slot
Weight: 0.23kg/m




JNW-XT936
75 vertical door frame with hook
Weight: 0.20kg/m




JNW-TS1281F
90 lifting door frame
Weight: 2.53kg/m




JNW-XT1488
90 door frame slot
Weight: 0.50kg/m



JNW-XT1284
90 vertical door frame with hook
Weight: 0.23kg/m




JNW-TS929F
inside slim vertical door frame
Weight: 1.23kg/m




JNW-TS935F
outside slim vertical door frame
Weight: 0.17kg/m




JNW-TS930F
double vertical door frame with hook
Weight: 0.4kg/m



JNW-TS939F
screen center
Weight: 1.37kg/m




JNW-A-042
60 bale cover
Weight: 0.77kg/m




JNW-A-018
100 bale cover
Weight: 1.05kg/m




JNW-A-016
F-groove
Weight: 0.18kg/m




JNW-A-015
p-strip
Weight: 0.18kg/m



D-A470
100 buckle plate
Weight: 0.49kg/m



JNW-XT924F
side seal lock slot
Weight: 0.44kg/m




JNW-XT951
side sealing cover plate
Weight: 0.37kg/m




JNW-XT913D
door clip
Weight: 0.15kg/m



JNW-XT1080F
fixed glass door clip
Weight: 0.18kg/m



JNW-XT1008
75 intelligent lock slot
Weight: 0.42kg/m




JNW-XT931F
closuring
Weight: 0.66kg/m



JNW-XT937
single vertical door frame with hook
Weight: 0.27kg/m



JNW-XT953
double vertical door frame with hook
Weight: 0.31kg/m



JNW-XT915
diamond mesh sub-frame
Weight: 0.41kg/m




JNW-XT916
diamond mesh clip
Weight: 0.10kg/m




JNW-XT1217
highly transparent mesh sub-frame
Weight: 0.45kg/m



JNW-XT1218
55 vertical door frame
Weight: 1.82kg/m



JNW-A-009
two rail flat rail
Weight: 0.89kg/m




JNW-A-020
three track flat track
Weight: 1.28kg/m


Automatic Profiles




JNW-XT863
intelligent double rail top rail
Weight: 1.63kg/m



JNW-XT861
intelligent three-rail top rail
Weight: 2.35kg/m




JNW-XT864
intelligent two-rail additional rail
Weight: 1.82kg/m




JNW-XT862
intelligent three-rail additional rail
Weight: 3.23kg/m




JNW-XT860
intelligent top rail cover
Weight: 0.50kg/m




JNW-TS918F
lifting double rail top rail
Weight: 2.84kg/m



JNW-TS921F
lifting two-rail bottom rail
Weight: 3.0kg/m




JNW-TS952F
lifting three-rail top rail
Weight: 4.0kg/m




JNW-TS955F
lifting three-rail bottom rail
Weight: 4.05kg/m



JNW-XT917
lifting top rail cover plate
Weight: 0.23kg/m




JNW-TS1121F
inner reinforce vertical door frame
Weight: 2.11kg/m



JNW-TS1122F
outside reinforced vertical door frame
Weight: 2.11kg/m


Sinking And Embedded Profiles



JNW-TS1120G

pre-embedded double rail bottom rail


Weight: 0.18kg/m



JNW-TS1519F

pre-embedded three-rail bottom rail

Weight: 0.42kg/m



JNW-XT1119G


pre-embedded sinking hidden drainage

Weight: 0.66kg/m

Assembly Diagram





Two track






Triple track






(triple track, triple door)




(two rails and two doors wide and slim match)



(two-rail, four-panel wide and slim match)


Non-Thermal Break Profiles
Universal Profiles




JNW-A-007
mesh center cross
Weight: 0.99kg/m




JNW-XT1080F
fixed glass clip
Weight: 0.18kg/m




JNW-A-030
screen frame
Weight: 0.34kg/m



JNW-A-039
inner bottom track frame
Weight: 0.37kg/m



JNW-A-017
closuring
Weight: 0.53kg/m




JNW-A-040
bottom rail cover plate
Weight: 0.32kg/m




JNW-A-053
side sealing cover platet
Weight: 0.28kg/m




JNW-A-013
top rail cover plate
Weight: 0.25kg/m



D-A470
100 buckle platet
Weight: 0.538kg/m




JNW-A-042
60 bale cover
Weight: 0.81kg/m




JNW-A-018
100 bale cover
Weight: 1.11kg/m



JNW-A-016
f groove
Weight: 0.19kg/m



JNW-A-015
p-strip
Weight: 0.18kg/m




M949
35x22 grid strip
Weight: 0.294kg/m




GT-061
35x27 grid strip
Weight: 0.30kg/m


130+195 Non-Thermal Break Profiles




JNW-A-035
55 vertical door frame
Weight: 1.82kg/m




JNW-A-041
30 slim vertical door frame
Weight: 1.40kg/m




JNW-A-044
30 slim double vertical door frame with hook
Weight: 1.35kg/m



JNW-A-036
55 single vertical door frame with hook
Weight: 0.43kg/m




JNW-A-037
55 double vertical door frame with hook
Weight: 0.65kg/m




JNW-TS70
70 lifting vertical door frame
Weight: 2.26kg/m




JNW-TS71
elevation add-on material
Weight: 0.30kg/m




JNW-A-027
70 single vertical door frame with hook
Weight: 0.44kg/m




JNW-A-028
70 double vertical door frame with hook
Weight: 0.66kg/m




JNW-A-005
112 vertical door frame
Weight: 1.92kg/m



JNW-A-006
112 vertical door frame
Weight: 2.27kg/m




JNW-A-031
112 single vertical door frame with hook
Weight: 0.50kg/m




JNW-A-032
112 double vertical door frame with hook
Weight: 0.83kg/m


Automatic Profiles




JNW-XT861
intelligent three-rail top rail
Weight: 2.35kg/m



JNW-XT862
intelligent three-rail additional rail
Weight: 3.23kg/m



JNW-XT863
55 vertical door grame
Weight: 1.63kg/m




JNW-XT864
intelligent two-rail additional rail
Weight: 2.18kg/m




JNW-XT860
intelligent top rail cover
Weight: 0.50kg/m


Double Track Profile




JNW-A-008
two rails top rail
Weight: 2.07kg/m




JNW-A-038
double rails hidden drainage bottom rail
Weight: 1.68kg/m




JNW-A-009
Double rails flat rail
Weight: 0.89kg/m




JNW-A-014
two rails central column
Weight: 1.77kg/m



JNW-A-011
double rails side seal
Weight: 1.80kg/m




JNW-A-033
two rail side seal 2.0
Weight: 2.13kg/m




JNW-A-012
two rail side seal cover plate
Weight: 0.74kg/m


Triple Track Profiles




JNW-A-019
three-rail top rail
Weight: 3.04kg/m



JNW-A-043
three-rail hidden drain bottom rail
Weight: 3.19kg/m




JNW-A-020
three-rail flat rail
Weight: 1.28kg/m



JNW-A-025

three-rail center column


Weight: 2.58kg/m



JNW-A-023

three-rail hidden drainage bottom rail


Weight: 3.09kg/m



JNW-A-034

three-rail side seal 2.0

Weight: 3.52kg/m




JNW-A-024


three-rail side seal cover

Weight: 1.05kg/m

Double Track Assembly Diagram




intelligent high rail



sliding high rail

Assembly Diagram




two track two panels wide and slim match




two track four panels wide and slim match


Triple Track Assembly Diagram



intelligent high rail



sliding high rail



Accessories



zinc alloy bumpers



thermal break heavy door
high track composite steel wheel
four bottom wheels (15 * 27)



glass fan corner code
(20.6*11.4)



pre-built dust-proof strip for
heavy-duty door(9*78)



central column corner code
(11.3*20.6)



55 special lock metal gray
(without key, left)




70 lifting hardware with key
170kg load capacity



stainless steel dust-proof strip for bottom
rail of thermal break heavy-duty door



195 heavy-duty door special
top wheel (90/102/112 special
upper wheel 28.5 high)




thermal break heavy door
do sealing balcony sliding
window mold (7 head)



130 Lift Door - Regular Lift Version




130 Lift Door - Electric Lift Model 0062



195 heavy-duty sliding door profile

130 # Lift Sliding Window >>>






Product Features:

① Lifting sliding for better sealing performance

② Positioned at will, easy to adjust the ventilation area

③ Sound and heat insulation, energy efficient


Lifting Profiles



JNW-GD925F

lifting top rails

Weight: 2.62kg/m



JNW-GD919F

lifting bottom rail

Weight: 2.48kg/m




JNW-XT917

lifting top rail cover plate

Weight: 0.23kg/m


130 Lift Sliding Window



JNW-BF923F

side frame


Weight: 1.93kg/m



JNW-BF925F

two-fixed, two-activated side seals


Weight: 2.4kg/m



JNW-ZT938F

center column


Weight: 2.0kg/m



JNW-TS1121F

inner strengthen door frame


Weight: 2.11kg/m



JNW-TS911F

75 lifting door


Weight: 1.79kg/m



JNW-TS929F

inside slim vertical door frame


Weight: 1.23kg/m



JNW-CT1564F

drainage conversion for bottom rails


Weight: 0.81kg/m



JNW-CT1566F

thermal break reinforced hook center frame


Weight: 1.94kg/m



JNW-XT1022

two-way reinforced center frame


Weight: 1.80kg/m



JNW-A-042

60 packs

Weight: 0.77kg/m



JNW-XT934F

sinking sealing aluminum strip

Weight: 0.21kg/m



JNW-XT913D

door clip

Weight: 0.15kg/m



JNW-XT1080F

fixing glass door clip

Weight: 0.18kg/m



GD-131

outdoor clip

Weight: 0.16kg/m



JNW-XT926F

indoor cover

Weight: 0.19kg/m



JNW-A-012

fixing glass conversion cover plate


Weight: 0.74kg/m



JNW-XT933

treadle cover

Weight: 0.44kg/m



JNW-XT924F

side closure slots

Weight: 0.44kg/m



JNW-XT951

side sealing cover plate


Weight: 0.37kg/m



JNW-XT914

75 door slot


Weight: 0.23kg/m



JNW-XT1008

intelligent lock slot


Weight: 0.42kg/m



JNW-XT931F

closuring


Weight: 0.66kg/m



JNW-XT240

glass guardrail

Weight: 0.70kg/m



JNW-A-016

f groove

Weight: 0.18kg/m



JNW-A-015

p-strip

Weight: 0.18kg/m



GD-014

universal slot cover


Weight: 0.05kg/m



D-A470

100 buckle plate


Weight: 0.49kg/m



JNW-XT927

hooked center frame


Weight: 1.31g/m



JNW-XT1023

reinforced hook center frame

Weight: 1.81kg/m




JNW-XT956

bottom rail drainage conversion

Weight: 1.31kg/m


Automatic profiles



JNW-XT1185

intelligent top rail

Weight: 2.16kg/m



JNW-XT1186

intelligent top rail additional groove

Weight: 1.78kg/m




JNW-XT860


intelligent top rail cover


Weight: 0.50kg/m


Assembly Diagram

















Accessories



zinc alloy bumpers




thermal break heavy door high track composite steel wheel four bottom wheels (15 * 27)




glass fan corner code (20.6*11.4)



55 special lock metal gray (without key, left)



central column corner code (11.3*20.6)



thermal break heavy door do sealing balcony sliding window mold (7 head)



70 lifting hardware with key 170kg load capacity




stainless steel dust-proof strip for bottom rail of thermal break heavy-duty door



195 heavy-duty door special top wheel (90/102/112 special upper wheel 28.5 high)

128 # Floating Sliding Window >>>





Product Features:


① Suspended design and hidden track, easy to clean.

② Embedded frame design，enhance the sealing performance.

③ Smooth edge does not hurt hands.

④ Outstanding drainage function，maximum 7.5meters.


Universal Profiles



JNW-CT1461F

upper door frame


Weight: 0.93g/m



JNW-CT1462F

bottom door frame


Weight: 0.91kg/m



JNW-CT1325F

single vertical door frame with hook


Weight: 0.85kg/m



JNW-CT1325G

double vertical door frame with hook


Weight: 0.91kg/m



JNW-CT1324F

hidden door frame

Weight: 0.79kg/m



JNW-XT1463

mesh door upper frame

Weight: 1.35kg/m



JNW-XT1464

mesh door bottom frame

Weight: 1.30kg/m



JNW-XT1465F

hidden mesh door

Weight: 1.20kg/m



JNW-XT1466F

mesh door with hook


Weight: 1.17kg/m



JNW-XT1671

outside mesh door with hook


Weight: 1.24kg/m



JNW-XT1469

suspended track

Weight: 0.70kg/m



JNW-XT1672

suspended track with woolen strips


Weight: 0.70kg/m



JNW-XT1468
bottom double side frame cover
Weight: 0.38kg/m




JNW-XT1467
bottom single side frame cover
Weight: 0.23kg/m



JNW-XT1331
side frame double cover
Weight: 0.46kg/m



JNW-XT1332F
side frame single cover
Weight: 0.41kg/m



JNW-XT1342
indoor square clip
Weight: 0.30kg/m




GD-131
outdoor clip
Weight: 0.16kg/m




JNW-XT1355F
mesh door clip
Weight: 0.07kg/m




GD-014
universal slot cover
Weight: 0.05kg/m



JNW-XT1333
side frame anti-collision strips
Weight: 0.15kg/m




JNW-XT1334
closuring
Weight: 0.31kg/m




JNW-XT389
clothes drying guardrail frame
Weight: 0.50kg/m




JNW-XT263
additional european standard slot
Weight: 0.20kg/m



JNW-XT051F
two-color grid
Weight: 0.40kg/m




GD-036A
integrated grid strip
Weight: 0.37kg/m




JNW-XT1470
handrail
Weight: 1.51kg/m


Double Track Profile




JNW-CT1487F
two-track suspended upper rail
Weight: 2.32kg/m




JNW-CT1459F
two-track suspended bottom rail
Weight: 2.29kg/m




JNW-CT1416F
two rail side seal
Weight: 1.34kg/m




JNW-CT1420F
two-track side frame transform
Weight: 1.40kg/m



JNW-CT1343E
two tracks fixed up and down
Weight: 1.49kg/m




JNW-CT1343G
two rail inner frame
Weight: 1.54kg/m



JNW-CT1676F
two-track suspended bottom rail(landing)
Weight: 2.19g/m


Triple Track Profiles



JNW-CT1485F

three-track suspended upper rail


Weight: 3.04kg/m



JNW-CT1460F

three-track suspended bottom rail


Weight: 3.07kg/m



JNW-CT1708F

3.0 three-track suspended bottom rail


Weight: 3.87kg/m



JNW-CT1417F

three rail side seal


Weight: 1.70kg/m



JNW-CT1418F

three-track side frame transform


Weight: 1.77kg/m



JNW-CT1329F

three tracks fixed up and down


Weight: 1.94kg/m



JNW-CT1347F

three track inner frame

Weight: 1.99kg/m




JNW-CT1458F

three-track suspended bottom rail(landing)

Weight: 2.97kg/m


Five Track Profiles



JNW-CT1554F

five-track suspended upper rail


Weight: 4.57kg/m



JNW-CT1552F

five-track suspended bottom rail


Weight: 5.85kg/m



JNW-CT1548F

five-track side frame


Weight: 2.50kg/m



JNW-CT1555F

five tracks fixed up and down


Weight: 2.75kg/m



JNW-CT1546F

five tracks central column


Weight: 2.98kg/m



JNW-XT1545

five-track side frame transform outside


Weight: 1.24kg/m



JNW-XT1551

five-track side frame transform inside


Weight: 1.05kg/m



JNW-XT1547

five-track side frame two covers


Weight: 0.70kg/m



JNW-XT1549

five-track side frame three covers

Weight: 1.10kg/m




JNW-XT1550

five-track side frame four covers

Weight: 1.44kg/m


Automatic Profiles



JNW-CT1584F

128 intelligent top rail

Weight: 2.95kg/m




JNW-XT1586

suspended window intelligent upper track additional track


Weight: 1.82kg/m

Assembly Diagram


Triple Track



Five Track




Five Track



Automatic electric





Accessories



scenery sliding window 150kg load-bearing rubyfour wheels



scenery sliding window special self-tightening ruby high upper wheel



drilling sealant



125 thermal break scenery window special lock black (left) nice style



3MM semicircular stainless steel rail



128 suspended window special self-tightening 23 high upper wheel




120 sliding window drying guardrail pin code （21*14.7）



125 thermal break scenery window center column code （JM-18.55ZH）



40 Medium narrow sliding door >>>



Product Features :

① The push and pull process is stable and smooth;
all series of lower rails are upgraded to double-row wheel

② Multiple rail scheme: flat rail、higher rail、suspended rail、lifting rail

③ A variety of thickness are available: 2.0、3.0、5.0

④ Many door frame combinations available: 52mm、65mm、75mm

Universal Profiles



KY01-004
double-row wheel bottom rail
Weight: 0.33kg/m




KY01-040
single-row wheel bottom rail
Weight: 0.31kg/m



KY01-010F
suspended clip
Weight: 0.39kg/m




KY01-011
suspended rail cover
Weight: 0.26kg/m



KY01-024
65 door frame closuring
Weight: 0.48kg/m



KY01-008
fixed clip
Weight: 0.19kg/m




KY01-026
mesh center cross
Weight: 0.67kg/m



KY01-027
mesh clip
Weight: 0.19kg/m



KY01-047
side seal cover
Weight: 0.19kg/m




KY01-025
suspended rail
Weight: 0.9kg/m




KY01-028
inner f groove
Weight: 0.14kg/m




KY01-029
outer f groove
Weight: 0.16kg/m




JNW-A-042
60 packs
Weight: 0.77kg/m



D-A470
buckle plate
Weight: 0.49kg/m



JNW-XT1442
glass guardrail
Weight: 0.52kg/m




JNW-XT1003
glass guardrail
Weight:0.50kg/m




KY01-045
bottom rail cover
Weight:0.24kg/m


Two Track




KY01-043
double-rail top buffer rail
Weight: 1.64kg/m




KY01-001
1.4 double-rail frame
Weight: 1.25kg/m




KY01-041
2.0 double-rail frame
Weight: 1.57kg/m




KY01-006
double-rail center column
Weight: 1.21kg/m




KY01-003F
double-rail higher bottom rail
Weight: 1.94kg/m




KY01-038
double-rail single-row wheel flat rail
Weight: 0.46kg/m



KY01-005
double-rail double-row wheel flat rail
Weight: 0.51kg/m




KY01-009
double-rail suspended bottom rail
Weight: 2.32kg/m




KY01-007
double-rail frame cover
Weight: 0.5kg/m


Three Track




KY01-044
triple-rail buffered top rai
Weight: 2.41kg/m




KY01-014F
triple-rail higher bottom rail
Weight: 2.79kg/m




KY01-016
triple-rail double-row wheel flat rail
Weight: 0.77kg/m




KY01-039
triple-rail single-row wheel flat rail
Weight: 0.71kg/m




KY01-015
triple-rail suspended rail
Weight: 3.04kg/m




KY01-017
triple-rail center column
Weight: 1.7kg/m




KY01-018
triple-rail cover
Weight: 0.72kg/m




KY01-012
triple-rail three-groove side seal 1.4
Weight: 2.17kg/m



KY01-042
triple-rail three-groove side seal 2.0
Weight: 2.62kg/m




KY01-036
triple-rail two-groove side seal 1.4
Weight: 1.91kg/m




KY01-037
triple-rail one-groove side seal 1.4
Weight: 1.73kg/m


52 vertical door frame




KY01-030
3.0-52 vertical door frame
Weight: 1.34kg/m




KY01-034
5.0-52 vertical door frame
Weight: 1.46kg/m




KY01-033
4.0-18 vertical door frame
Weight: 0.85kg/m



KY01-046
4.0-18 strengthen door frame
Weight: 1.62kg/m




KY01-031
52 single vertical door frame with hook
Weight: 0.31kg/m




KY01-032
52 double vertical door frame with hook
Weight: 0.48kg/m


65/75 vertical door frame




KY01-019
2.0-65 vertical door frame
Weight: 1.32kg/m




KY01-020
3.0-65 vertical door frame
Weight: 1.44kg/m



KY01-035
5.0-65 vertical door frame
Weight: 1.64kg/m




KY01-021
3.0-75 vertical door frame
Weight: 1.61kg/m




KY01-049
3.0-75 lifting vertical door frame
Weight: 1.74kg/m



KY01-050
75 lifting vertical door frame lock slot
Weight: 0.28kg/m




KY01-022
65 single vertical door frame with hook
Weight: 0.34kg/m




KY01-023
65 double vertical door frame with hook
Weight: 0.54kg/m


casement door




KY02-001
1.2 door jamb
Weight: 0.76kg/m




KY02-002
1.2 double door jamb
Weight: 0.82kg/m




KY02-003
2.0 door jamb
Weight: 1.04kg/m




KY02-004
2.0 double door jamb
Weight: 1.04kg/m



D-A005A
1.2 vertical door frame
Weight: 0.63kg/m




KY02-005
2.0 vertical door frame
Weight: 0.9kg/m



JNW-A-042

60 packs

Weight: 0.77kg/m



D-A470

buckle plate


Weight: 0.49kg/m



KY01-028

inner F groove

Weight: 0.14kg/m




GT044


10x15 grid strip

Weight: 0.104kg/m


Assembly Diagram


casement door







sliding door










8 MAJOR RAIL SYSTEMS



double rails flat rail
double-row wheel



double rails higher rail
double-row wheel



triple-rails flat rail
double-row wheel


triple-rail higher rail
double-row wheel



double rails suspended rail
double-row wheel


triple-rails suspended rail
double-row wheel


double rails lifting rail
single-row wheel


triple-rails lifting rail
single-row wheel

■ PROFILE ADVANTAGES



ADVANTAGES OF FLAT RAIL

Track height only 5mm
Ultra-thin design
less likely to trip over people
Fits better with the needs of daily life
Enabling more efficient cleaning



ADVANTAGES OF HIGHER RAIL

Track height 45mm
Excellent sealing performance
Water-proof and dust-proof



ADVANTAGES OF SUSPENDED RAIL

Track height 65mm
Exquisite design
good- looking
Outstanding sealing performance



ADVANTAGES OF LIFTING RAIL

Track height 45mm
Support the lifting function
More efficient and reliable

Accessories


SK514 specific aluminum corner code


corner code \ wrapped packs corner code


corner for panel


universal higher pulley


specific lower pulley


hanging pulley （with buffer）


hanging pulley （with two-way buffer）


hanging pulley （without two-way buffer）


diamond buffer


bidirectional buffer


three door linkage accessories


handrail


specific lock(sliver)


corner for panel



corner for panel with screws


side seal hanging rail plug


Anti－collision leather Strip

128 # scenery sliding window >>>






Product Features :

① Equipped 3.0 thickness screen sash and bottom rail

② Superior drainage system，moveable guardrail

③ Six-rail design，100mm large handrail surface


Universal Profiles



JNW-CT1326F

upper door frame


Weight: 0.83kg/m



JNW-CT1327F

bottom door frame


Weight: 0.95kg/m



JNW-CT1325F

single vertical door frame with hook


Weight: 0.85kg/m



JNW-CT1325G

double vertical door frame with hook


Weight: 0.91kg/m



JNW-CT1324F

hidden door frame


Weight: 0.79kg/m



JNW-XT1352

mesh door upper frame


Weight: 1.21kg/m



JNW-XT1353

mesh door bottom frame

Weight: 1.33kg/m



JNW-XT1351F

mesh door with hook


Weight: 1.23kg/m



JNW-XT1350

hidden mesh door

Weight: 1.17kg/m



JNW-XT1331

side frame double cover


Weight: 0.46kg/m



JNW-XT1332F

side frame single cover

Weight: 0.41kg/m



JNW-XT1342

indoor square clip

Weight: 0.30kg/m




GD-131
outdoor clip
Weight: 0.16kg/m



JNW-XT1354
door frame bottom wheel slot
Weight: 0.16kg/m




JNW-XT1355F
mesh door clip
Weight: 0.07kg/m



JNW-XT1333
side seal anti-collision strip
Weight: 0.15kg/m




JNW-XT1334
closuring
Weight: 0.31kg/m




JNW-XT389
clothes drying guardrail frame
Weight: 0.50kg/m



JNW-XT263
additional european standard slot
Weight: 0.20kg/m



JNW-XT051F
two-color grid strip
Weight: 0.20kg/m




GD-036A
integrated grid strip
Weight: 0.37kg/m




GD-014
universal slot cover
Weight: 0.05kg/m




JNW-XT1422
bottom rail guard
Weight: 0.09kg/m




XTC-ZJ90B
90 corner -135°
Weight: 1.251kg/m



XTC-ZJ90A
90 corner -90°
Weight: 1.728kg/m




XTC-ZJ130A
130 corner -90°
Weight: 2.80kg/m




XTC-ZJ130B
130 corner -90°
Weight: 1.95kg/m


Four track




JNW-CT1487F
four-rail top rail
Weight: 2.32kg/m




JNW-CT1346F
four-rail bottom rail
Weight: 1.80kg/m




JNW-XT1345
four-rail additional bottom rail
Weight: 0.46kg/m




JNW-CT1416F
four-rail side seal
Weight: 1.34kg/m




JNW-CT1420F
four-rail side seal conversion
Weight: 1.40kg/m



JNW-CT1343E
four-rail fixed up and down
Weight: 1.49kg/m




JNW-CT1343G
four-rail center column
Weight: 1.54kg/m



JNW-CT1346S
four-rail bottom rail (land)
Weight: 1.69kg/m


Six track



JNW-CT1485F

six-rail top rail


Weight: 3.04kg/m



JNW-CT1318F

six-rail bottom rail


Weight: 2.92kg/m



JNW-CT1348F

six-rail bottom rail


Weight: 3.76kg/m



JNW-XT1330

six-rail additional bottom rail


Weight: 0.86kg/m



JNW-CT1417F

six-rail side seal


Weight: 1.70kg/m



JNW-CT1418F

six-rail side seal conversion


Weight: 1.77kg/m



JNW-CT1329F

six-rail fixed up and down


Weight: 1.77kg/m



JNW-CT1347F

six-rail center column


Weight: 1.99kg/m



JNW-CT1357F

six-rail bottom rail

Weight: 2.82kg/m





DZ-822F

handrail


Weight: 1.52kg/m

Assembly Diagram





Assembly Diagram



Accessories



scenery sliding window 150kg load-bearing rubyfour wheels



scenery sliding window special self-tightening ruby high upper wheel



drilling sealant



125 thermal break scenery window special lock black (left) nice style



3MM semicircular stainless steel rail



128 suspended window special self-tightening 23 high upper wheel




120 sliding window drying guardrail pin code（21*14.7）



125 thermal break scenery window center column code（JM-18.55ZH）

110 # sliding window >>>






Product Features :

① High cost-effective，extreme cost control


② Can eguipped cloth hanger,automatic locking



JNW-CT1236F

top rail


Weight: 1.61kg/m



JNW-CT1159F

bottom rail 1.4


Weight: 2.18kg/m



JNW-CT1234F

bottom rail 2.0


Weight: 2.69kg/m



JNW-CT1239F

side seal


Weight: 1.28kg/m



JNW-CT1165F

side seal conversion


Weight: 0.98kg/m



JNW-CT1161F

center column


Weight: 1.29kg/m



JNW-CT1162F

door frame

Weight: 0.92kg/m



JNW-XT1240

mesh door frame


Weight: 0.75kg/m



JNW-XT518

mesh door clip

Weight: 0.12kg/m



JNW-XT1166

indoor clip


Weight: 0.34kg/m



GD-131

outdoor clip


Weight: 0.16kg/m



JNW-XT1168

single vertical door frame with hook

Weight: 0.26kg/m



JNW-XT1169

double vertical door frame with hook

Weight: 0.41kg/m



JNW-XT1170

side seal double cover

Weight: 0.26kg/m



JNW-XT1171

side seal single cover

Weight: 0.2kg/m



JNW-XT1172

door frame lock slot


Weight: 0.12kg/m



JNW-XT1241

side seal lock slot

Weight: 0.17kg/m



JNW-XT1167

screen cover


Weight: 0.14kg/m



JNW-XT1202

detachable guardrail

Weight: 0.46kg/m



JNW-XT389

clothes drying guardrail frame


Weight: 0.50kg/m



JNW-XT263

additional European standard slot


Weight: 0.20kg/m



JNW-XT051F

two-color grid strip

Weight: 0.20kg/m



GD-036A

integrated grid strip

Weight: 0.37kg/m




DZ-714

closuring


Weight: 0.24kg/m




GD-014
universal slot cover
Weight: 0.05kg/m



JNW-XT1173
handrail frame
Weight: 1.06kg/m





ZJ110A
110 corner -90°
Weight: 1.35kg/m




ZJ110B
110 corner -135°
Weight: 1.09kg/m

Assembly Diagram







Accessories



110 sliding window drying guardrail pin code (21*14.7)



110 thermal break scenery window center column code (JM-18.55ZH)

110 window special self-tightening 23 high upper wheel



110 thermal break scenery window special lock black (left) nice style



3MM semicircular stainless steel rail




drilling sealant

sliding window 150kg load-bearing rubyfour wheels

sliding window special self-tightening ruby high upper wheel

120-1# Slim Casement Window >>>





Product Features :


① Glass: 5+20A+5, Aluminum alloy handle

② Can do outside opening fan, very narrow frame

③ Sash, glass fan can be done with the same type of handle

④ Sash can be made of adamantine and HD Sash


120-1#Slim Casement Window



JNW-CT1189F

out frame


Weight : 1.89 kg/m



JNW-CT1190F

center column


Weight : 2.12 kg/m



JNW-CT1214F

glass sash A


Weight : 1.34 kg/m



JNW-CT1221F

glass sash B


Weight : 1.43 kg/m



JNW-CT1191F

subframe A


Weight : 1.2 kg/m



JNW-CT1222F

subframe B

Weight : 1.15 kg/m



JNW-XT1192

screen sash

Weight : 0.64 kg/m



JNW-XT518

mesh door clip


Weight : 0.12 kg/m



JNW-XT1193

square clip


Weight : 0.24 kg/m



JNW-XT1194

screen sash subframe


Weight : 0.17 kg/m



JNW-XT11212

skew clip


Weight : 0.29 kg/m



JNW-XT1213

slot for sash clip

Weight : 0.12 kg/m





JNW-XT208

frame splicing strip

Weight : 0.28 kg/m

Assembly Diagram






JNW-BK812A

injection molded frame


Weight : 1.69 kg/m



JNW-ZH813A

injection molded center post


Weight : 1.82 kg/m



DZ-CT797F

slim subframe


Weight : 1.55 kg/m



DZ-CT795F

slim glass sash

Weight : 1.36 kg/m



DZ-793

slim screen sash

Weight : 0.59 kg/m



DZ-794

mesh door clip

Weight : 0.09 kg/m



JNW-XT1230

guardrail frame


Weight : 0.12 kg/m



JNW-XT1231

latticework


Weight : 0.20 kg/m



JNW-XT772

bevelled edge clip


Weight : 0.32 kg/m



JNW-XT778

diamond clip


Weight : 0.40 kg/m



JNW-XT780

bent clip


Weight : 0.50 kg/m



GD-014


universal slot cover

Weight : 0.05 kg/m




JNW-XT1009

outside 90° slim corner
Weight : 1.14 kg/m




JNW-XT1010

inside 90° slim corner
Weight : 0.38 kg/m




JNW-XT208

frame splicing strip
Weight : 0.28 kg/m



ZJ110A


110 corner-90°
Weight : 1.42 kg/m



ZJ110B

110 degree corner-135
Weight : 1.13 kg/m

Assembly Diagram





Accessories



120 slim outer frame color injection corner code(26.2*13.2)



120 slim center column inner color injection corner code (jm16zh*13.2)



side lock (silver) left




side lock (silver) left



large center column machine (without blade)



13.5*1.0*1.2 stainless steel injection molding group corner piece




slim frame center column mold 6 molds

110–Disrupter 3 / 115–Disrupter 5

Outside&Inside Opening Window >>>





Product Features :

① 8 cavities structure and 6 layers sealing

② three options of thickness to choose：1.8mm,2.0mm,3.0mm

③ Vertical isothermal line design

④ customized molded thermal insulation strips


⑤ Better noise insulation and heat insulation

⑥ Excellent water tightness and air tightness performance

⑦ Side frame width 115mm，performance upgrade comprehensively

110#3 Outside opening Window


Universal Profiles



JNW-HC847A

75 new clip glass sash


Weight : 1.39 kg/m



JNW-HC771A

3 glass sash


Weight : 1.31 kg/m



JNW-XT778

diamond clip


Weight : 0.39 kg/m



JNW-XT768

guardrail frame

Weight : 0.35 kg/m



JNW-XT846B

clip


Weight : 0.15 kg/m



JNW-XTO51F

two-color grid

Weight : 0.2 kg/m



JNW-XT1009

90° slim corner


Weight : 1.14 kg/m



JNW-XT1010

90° slim corner

Weight : 0.38 kg/m




JNW-XT772

subversive 3 clip

Weight : 0.32 kg/m


110#3 Outside Opening Window



JNW-BK812A

injection molded frame


Weight : 1.69 kg/m



JNW-ZH813A

injection molded center post


Weight :1.82 kg/m




JNW-FK773A

subframe

Weight : 1.29 kg/m




JNW-ZT802
strengthen inner frame
Weight : 3.26 kg/m



JNW-1007
50 screen sash
Weight : 0.62 kg/m




JNW-1011
sash cover
Weight : 0.09 kg/m




JNW-XT770
sash without folded edge
Weight : 0.7 kg/m




JNW-XT769
sash square clip
Weight : 0.16 kg/m




JNW-XT780
bent clip
Weight : 0.5 kg/m




ZJ110A
90 degree corner
Weight : 1.35 kg/m




ZJ110B
135 degree corner
Weight : 1.08 kg/m



HC235B
enter frame for glass sash
Weight : 1.0 kg/m




HC110
sash center frame
Weight : 1.0 kg/m




GD-026
sash center frame
Weight : 0.56 kg/m


110#3 Inside opening Window




JNW-BK760A
outer frame
Weight : 1.65 kg/m




JNW-ZH762A
center column
Weight : 1.78 kg/m




JNW-HC807A
double inward opening glass sash
Weight : 1.65 kg/m



JNW-XT816
additional european standard slot
Weight : 0.21 kg/m




JNW-XT902
screen sash subframe
Weight : 0.3 kg/m



JNW-XT287
double inside opening sash
Weight : 0.6 kg/m




JNW-XT267
mesh door clip
Weight : 0.15 kg/m




JNW-1006
75 screen sash
Weight : 0.73 kg/m




JNW-1010
75 mesh door clip
Weight : 0.13 kg/m



JNW-XT815
clip
Weight : 0.28 kg/m




JNW-XT811
square clip
Weight : 0.41 kg/m




JNW-XT855
round clip
Weight : 0.4 kg/m

Assembly Diagram






Universal Profiles




JNW-CT1860F
Sub frame
Weight : 1.36 kg/m




JNW-CT1776F
Glass sash
Weight : 1.83 kg/m




JNW-XT1780G
Glass sash clip
Weight : 0.20 kg/m




JNW-XT1778
mosquito net
Weight : 0.57 kg/m




JNW-XT1779
mosquito net clip
Weight : 0.08 kg/m




JNW-XT1781
Diagonal clip
Weight : 0.38 kg/m




DZ-L1559
Diagonal clip
Weight : 0.36 kg/m




JNW-XT1867
Diagonal clip
Weight : 0.33 kg/m




JNW-XT772
Diagonal clip
Weight : 0.32 kg/m



JNW-XT1866
Diamond shaped clip
Weight : 0.40 kg/m



JNW-XT778
Diamond shaped clip
Weight : 0.39 kg/m



JNW-XT780
stretch bending clip
Weight : 0.50 kg/m



GD-014

Universal slot cover

Weight : 0.05 kg/m



JNW-XT1230

Guardrail frame

Weight : 0.12kg/m




JNW-XT1231

Grid bar

Weight : 0.20kg/m


2.0 thickness



JNW-CT1711G

2.0 Outer Frame


Weight : 1.93 kg/m



JNW-CT1713G

2.0 Center Column


Weight : 2.06 kg/m



JNW-BK812F

Glue injection frame

Weight : 1.79 kg/m




JNW-ZH813F

Glue injection center column

Weight : 1.92 kg/m


3.0 thickness



JNW-BK781F

3.0 Outer Frame


Weight : 2.15 kg/m



JNW-ZH783F

3.0 Center Column


Weight : 2.27 kg/m



ZJ115A

115 turns -90 degrees

Weight : 1.48 kg/m




ZJ115B


115 corner-135 degrees

Weight : 1.14 kg/m

Assembly Diagram









Assembly Diagram







Accessories



3, 4 sub-frame outside color face pin corner code (18*18.2)



3, 4 hidden row of center column corner code(18.4zh*16)left



foor drain cover




(germany) rhenus hardware silver left



large center column machine (without blade)




no.3 110 center column milling cutter (set of 4 cutters)



no. 3 and no. 4 corner hole stamping dies (8 heads)

90-1# New Casement Window >>>






Product Features :

① Ultra-narrow visible surface, customized molded thermal insulation strips, three major series, dozens of opening programmes.


② Excellent water tightness and air tightness performance

③ multi-cavity structure design,outstanding thermal insulation function, new floor drainage system.


Universal Aluminium Profiles




JNW-CT1249D
outer frame
Weight :1.84kg/m




JNW-CT1251D
center column
Weight : 1.87 kg/m




JNW-CT1738F
strengthen center column
Weight : 2.42 kg/m




JNW-XT1737F
large glass square clip
Weight : 0.34 kg/m




JNW-XT1739
bending clip
Weight : 0.59 kg/m




JNW-XT1741F
large glass square clip
Weight : 0.36kg/m



DZ-014
bending clip screw cover
Weight : 0.05 kg/m




JNW-XT1721
double glass bevel edge clip
Weight : 0.29 kg/m



JNW-XT1729
three glass sash double thermal break clip
Weight : 0.27 kg/m


65 Medium Narrow Glass Sash Series - Double inward Opening



JNW-CT1254E
65 medium narrow double inner open glass sash
Weight: 1.52kg/m



JNW-XT267
65 medium narrow sash clip
Weight: 0.15kg/m




JNW-XT1256F
65 medium narrow sash
Weight: 0.62kg/m



JNW-XT1677

65 glass door double inward open double glass clip

Weight: 0.17kg/m




JNW-XT1678

65 double inner open three glass sash double thermal break clip

Weight: 0.15kg/m


55 Slim Glass Sash Series -Double inward Opening



JNW-CT1720F

55 ultra narrow double inner open glass sash

Weight :1.23 kg/m



JNW-XT1718

55 ultra narow double inner open glass sash


Weight : 0.5 kg/m



JNW-XT518

55 ultra narow double inner open glass sash clip

Weight : 0.15 kg/m



JNW-XT1732F

55 ultra narrow double inner open double glass sash clip

Weight : 0.16 kg/m




JNW-XT1731F

55 double inner open three glass sash double thermal break clip

Weight : 0.12 kg/m


55 Slim Glass Sash Series - Single inward Opening



JNW-CT1716F

55 ultra narrow single inner open sash


Weight :1.48 kg/m



JNW-XT1717F

55 single inner open double glass sash clip

Weight : 0.23 kg/m




JNW-XT1715F

55 single inner open three glass sash doublethermal break clip

Weight : 0.2 kg/m

65 Medium Narrow Glass Sash Series - Single inward Opening



JNW-CT1255F

65 medium narrow single inner open glass sash


Weight: 1.81kg/m



JNW-XT1676

65 single inner open three glass sash double thermal break clip

Weight: 0.21kg/m




JNW-XT1675

65 single inner open double glass clip

Weight: 0.23kg/m


90 Glass Sash Series-Single outward Opening



JNW-CT1736F

90 single outward open glass door


Weight :2.18 kg/m



JNW-CT1733F

90 outward open subframe


Weight : 1.5 kg/m



JNW-XT1676

65 single outward open three glass sash double thermal break clip

Weight : 0.21 kg/m




JNW-XT1675

65 single inner open double glass clip

Weight : 0.23 kg/m


90 Glass Sash Series -Single inward Door or Counter Door



JNW-CT1272F

90 single inward open door


Weight : 2.29 kg/m



JNW-CT1271F

double door closing


Weight : 1.46 kg/m



JNW-XT1676

90 three glass sash double thermal break clip

Weight : 2.29 kg/m




JNW-XT1675

90double glass clip

Weight : 0.23 kg/m


Micro Ventilation Double inward Opening Casement



JNW-CT1723F

micro ventilation sash

Weight : 1.3 kg/m



JNW-XT1718

55 ultra narrow double inner open glass sash


Weight : 0.5 kg/m



JNW-XT518

55 ultra narrow double inner open glass sash clip

Weight : 0.15 kg/m




FG100A

micro ventilation square tube

Weight :1.18 kg/m


Horizontal - pushing window



JNW-CT1728F

flat sliding door

Weight : 1.9 kg/m



JNW-CT1725F

flat sliding sub-frame

Weight : 1.74 kg/m



JNW-XT1727

flat sliding double inner glass clip

Weight : 0.18 kg/m

Assembly Diagram



90 glass sash
(double inward open window)




100 glass sash
(double inward open window)




110 glass sash
(double inward open window)

customized molded thermal insulation strips, three major series

Assembly Diagram







Accessories



90 system external color corde
(ZJJM-2-21.4*21.3)



90 system center column color
corner code(JM-P21ZH)



13.5*1.0*1.2 stainless steel
injection corner piece



micro ventilation hinge



single inner open adhesive
strip (JNw9)



double inner open adhesive
strip(JNW10)



flat sliding window adhesive strip



17.5*20 die casting fat sheet



fixed position pad




90 system milling cutter set



swing door hardware
(handles, hinges, manual latches)




NICE inward opening
and inward tilting hardware (left)



casement window 65 sashes
/clip eight molds

126 # side pressure sealed window >>>






Product Features :


① Adopting innovative floor drain drainage system.

② Equipped with inward opening mesh, folding hidden mesh and glass guardrail.


③ Combine the convenience of sliding windows and the sealing of casement windows.




JNW-CT1568F
outer frame
Weight: 1.98kg/m




JNW-CT1570F
center column
Weight: 2.07kg/m




JNW-CT1573F
strengthen center column
Weight: 2.04kg/m




JNW-CT1571F
center column
Weight: 1.50kg/m



JNW-CT1575F
68 glass sash
Weight: 1.65kg/m




JNW-XT1646
mesh sub-frame
Weight: 0.52kg/m




JNW-XT1224
47 screen sash
Weight: 0.98kg/m



JNW-XT518
mesh clip
Weight: 0.12kg/m




JNW-XT1580
top guide rail
Weight: 0.49kg/m



JNW-XT1579
bottom guide rail
Weight: 0.39kg/m



JNW-XY1577
inner baffle
Weight: 0.16kg/m




JNW-XT1576
outer baffle
Weight: 0.31kg/m




JNW-XT1581
cover for center column
Weight: 0.11kg/m




JNW-XT1476F
glass sash with hook
Weight: 0.29kg/m



JNW-XT1454
glass sash clip
Weight: 0.18kg/m




JNW-XT1433
fixed clip
Weight: 0.2kg/m



JNW-XT1648
skew clip
Weight: 0.37kg/m



JNW-XT1583
side seal cover
Weight: 0.11kg/m



JNW-XT1577
side seal lock slot
Weight: 0.38kg/m




JNW-XT1582F
glass sash lock slot
Weight: 0.24kg/m



JNW-XT1651
fixed guardrail frame
Weight: 0.38kg/m




JNW-XT1652
frame cover
Weight: 0.08kg/m




JNW-XT1647F
closuring
Weight: 0.76kg/m



JNW-XT1231
grid strip
Weight: 0.20kg/m



JNW-XT1442
glass guardrail
Weight: 0.52kg/m




JNW-XT1003
glass guardrail
Weight: 0.50kg/m






Assembly Diagram




Assembly Diagram



100 # drifting sliding window >>>






Product Features :

① Unique sliding opening method，does not occupy indoor space，avoids the trouble of accidental collisions.

② Extrusion type of closure，waterproof and more sealed.


③ Equipped with mosquito net as standard.



JNW-CT1587F

drifting side frame


Weight: 1.72kg/m



JNW-CT1589F

drifting center column


Weight: 1.865kg/m



JNW-CT1590F

drifting sub-frame

Weight: 1.18kg/m



JNW-CT1592F

drifting glass sash

Weight: 1.52kg/m



JNW-XT1594

glass sash clip

Weight: 0.21kg/m



JNW-XT1599

screen sash

Weight: 0.69kg/m



DZ-1118

mesh clip

Weight: 0.1kg/m



JNW-XT1650

guardrail frame


Weight: 0.23kg/m



JNW-XT1596

drifting window vertical lock slot

Weight: 0.41kg/m



JNW-XT1579F

opening horizontal clip

Weight: 0.43kg/m



JNW-XT1598

opening vertical clip

Weight: 0.34kg/m



JNW-XT1595

drifting window top guide rail

Weight: 0.11kg/m




JNW-XT1600
inner opening sash transfer groove
Weight: 0.23kg/m




JNW-XT1644
accessories level
Weight: 0.11kg/m




JNW-XT1645
top and bottom wheel level
Weight: 0.18kg/m



JNW-XT051F
two-color grid strip
Weight: 0.20kg/m




GD-036A
integrated grid strip
Weight: 0.37kg/m



JNW-XT1003
glass guardrail
Weight: 0.5kg/m





Assembly Diagram

